



27 Módulos
Puerta Ciega

27 Módulos
Puerta Ciega



1380

Escala 1:10
Profundidad: 250 mm

595

595

Prisma Plus G

Instalación Interior
Grado de Protección: IP30
Alimentación Superior
Salidas Superiores

Las informaciones técnicas contenidas en este documento son propiedad exclusiva de Bagnols s.a. y no podrán ser utilizadas por o divulgadas a terceros sin su previa autorización escrita.



Tablero Seccional 2º Piso
Vista Topográfica
Puertas Cerradas

CLIENTE:
Dalux
Oficinas Toyota

Indl	Fecha	Modificación			

DIBUJO	REVISO	APROBO
1	11/13	Conforme Taller
0	11/13	Para Aprobación
		Modificación

Archivo	Indl	Fecha	Modificación		

BT3191/13

050/060

Instalación Interior
Grado de Protección: IP30
Alimentación Superior
Salidas Superiores

060	070
-----	-----

Technical drawing of a 24-port patch panel (Fig. 10) showing front and rear views. The front view (top) shows 24 RJ45 ports arranged in two columns of 12. The rear view (bottom) shows the internal wiring structure with labels X1.1, X2.1, X1.2, and X2.2. The drawing includes dimensions and a scale of 1:1.

Instalación Interior
Grado de Protección: IP30
Alimentación Superior
Salidas Superiores

070/

Alvar Nuñez 455/57
T.e.: 4301-9569/3284/5427
E-mail: tecnica@bagnols.com.ar